Aquaculture Research

Volume 30
Pages 1–940

Blackwell
Science

Published by Blackwell Science
Editorial Offices:
Blackwell Science Ltd, 23 Ainslie Place, Edinburgh EH3 6AJ, UK
Blackwell Science Ltd, 25 John Street, London WC1N 2BL, UK
Blackwell Science Ltd, Osney Mead, Oxford OX2 0EL, UK
Blackwell Science Asia Pty, 54 University Street (PO Box 378), Carlton South, Victoria 3053, Australia
Blackwell Science Europe Ltd, 10 rue Casimir Delavigne, F-75006 Paris, France
Blackwell Wissenschafts-Verlag GmbH, Kurfürstendamm 57, D-10707 Berlin, Germany
Blackwell Science KK, MG Kodenmacho Building, 3F, 7–10 Kodenmacho Nihombashi, Chuo-ku, Tokyo 103-0001, Japan
Blackwell Science Inc., Commerce Place, 350 Main Street, Malden, MA 02148-5018, USA

© 1999 Blackwell Science Ltd

Authorization to photocopy for internal or personal use or for the internal or personal use of specific clients is granted by Blackwell Science Ltd for libraries and other users registered within the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $14.00 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Editors, *Aquaculture Research* 1355-557X/99 $14.00.

ISSN 1355-557X

Typeset by Information Press, Oxford
Printed by The Devonshire Press, Torquay

Contents

Volume 30 Number 1, January 1999

1 Haemolymph nitrogenous constituents and nitrogen efflux rates of juvenile shrimp, *Penaeus paulensis* (Perez-Farfante), exposed to ambient ammonia-N *A S C Schmitt and E A Santos*

13 The effect of reduced salinity on growth, food conversion and protein efficiency ratio in juvenile spotted grunter, *Pomadasys commersonnii* (Lacépède) (Teleostei: Haemulidae) *N Deacon and T Hecht*

21 HUFA content and DHA/EPA improvements of *Artemia* sp. with commercial oils during different enrichment periods *L Narciso, P Pousão-Ferreira, A Passos and O Luís*

25 Reproductive biology of pond reared Nile tilapia (*Oreochromis niloticus* L.) *G J de Graaf, F Galemoni and E A Huisman*

35 Studies on triploid oysters in Australia: effect of initial size on growth of diploid and triploid Sydney rock oysters, *Saccostrea commercialis* (Iredale & Roughley) *R E Hand, J A Nell, D D Reid, I R Smith and G B Maguire*

43 Growth, feed conversion, body composition and nutrient retention efficiencies in fingerling catfish, *Heteropneustes fossilis*(Bloch), fed different sources of dietary carbohydrate *Erfanullah and A K Jafri*

51 Sydney rock oyster, *Saccostrea commercialis* (Iredale & Roughley), filtration of shrimp farm effluent: the effects on water quality *A B Jones and N P Preston*

59 Artificial spawning of European catfish, *Silurus glanis* L.: stimulation of ovulation using LHRH-a, Ovaprim and carp pituitary extract *E Brzuska and J Adamek*

Short communication

65 Effect of freshwater supply on the survival and growth of Atlantic salmon, *Salmo salar* L., '0+ autumn smolts' reared in sea cages during winter *J G Myoung, A M Arnesen and A Mortensen*

69 Book review

71 Erratum

Volume 30, Number 2, February 1999

73 Intestinal microflora of fish larvae and fry *E Ringø and T H Birkbeck*

95 Natural diet, feeding periodicity and functional response to food density of the abalone *Haliotis asinina* L. (Gastropoda) *A S Tahil and M A Juinio-Menez*

109 Influence of water temperature on oxygen consumption and ammonia excretion of juvenile pikeperch, *Stizostedion lucioperca* (L.) reared in a recirculating system *Z Zakes and A Karpinski*

115 Delayed ovarian development and reduced serum steroid levels in female largemouth bass, *Micropterus salmoides* Lacépède, raised on pelleted feed *P M Rosenblum, H L Horne and J D Swim*

123 Impact of culture intensity and monsoon season on water quality in Thai commercial shrimp ponds *V J Cowan, K Lorenzen and S J Funge-Smith*

135 Culture of *Mysidopsis almyra* (Bowman) (Crustacea: Mysidacea) in a static water system: effects of density and temperature on production, survival and growth *P M Domingues, P E Turk, J P Andrade and P G Lee*

145 Effect of extenders on sperm cryopreservation of African catfish, *Clarias gariepinus* (Burchell) *B Urbányi, Á Horváth, Z Varga, L Horvath, I Magyary and F Radics*

Volume 30, Number 3, March 1999

153 Mixed model estimation of genetic and environmental correlations in red swamp crawfish *Procambarus clarkii* (Girard) *C G Lutz and W R Wolters*

165 Effect of heat-treated feed and exogenous zymogen on survival and growth of grey mullet, *Liza ramada* (Risso), larvae in Egypt *A A El-Dahhar*
175 Improving culture techniques for village-based farming of giant clams (Tridacnidae) *A M Hart, J D Bell, I Lane and T P Foyle*
191 Comparative costs of postlarval production from wild or domesticated Kuruma shrimp, *Penaeus japonicus* (Bate), broodstock *N P Preston, D C Brennan and P J Crocos*
199 Culture of the microalgae *Chaetoceros muelleri* with Zecer-56, a natural zeolitic product *J L López-Ruiz, R García García and M S Ferreiro Almeda*
203 Effect of different broodstock densities on the reproductive performance of Nile tilapia, *Oreochromis niloticus* (L.), in a recycling system *M T Ridha and E M Cruz*
211 Selection and realized heritability for growth in the scallop, *Euvola ziczac* (L.) *J E Perez and C Alfonsi*
215 Short-term nitrogen uptake and regeneration in early and late growth phase shrimp ponds *M A Burford and P M Glibert*

Short communication

229 Does *Carnobacterium divergens* isolated from Atlantic salmon, *Salmo salar* L., colonize the gut of early developing turbot, *Scophthalmus maximus* L., larvae? *E Ringø*

Volume 30, Number 4, April 1999

233 Electroporatic transfer, stable integration, expression and transmission of pZpβypGH and pZpβrtGH in Indian catfish, *Heteropneustes fossilis* (Bloch) *S G Sheela, T J Pandian and S Mathavan*
249 Formulation and evaluation of diets for the African catfish, *Clarias gariepinus* (Burchell), made by partial replacement of fish meal with winged bean (*Psophocarpus tetragonolobus* L. DC) seed meal *O A Fagbenro*
259 Dominance hierarchies in Arctic charr, *Salvelinus alpinus* L.: differential cortisol profiles of dominant and subordinate individuals after handling stress *Ø Overli, R E Olsen, F Løvik and E Ringø*
265 Replacing dietary corn with barley seeds in Nile tilapia, *Oreochromis niloticus* (L.), feed *I E H Belal*
271 The combined effects of temperature and salinity on embryos and larvae of the black-lip pearl oyster, *Pinctada margaritifera* (L.) *M S Doroudi, P C Southgate and R J Mayer*
279 A comparative tissue distribution study of oxytetracycline in rainbow trout, *Oncorhynchus mykiss* (Walbaum), and chinook salmon, *Oncorhynchus tshawytscha* (Walbaum) *R Namdari, S Abedini and F C P Law*
287 Non-specific immunity parameters and the formation of advanced glycosylation end-products (AGE) in rainbow trout, *Oncorhynchus mykiss* (Walbaum), fed high levels of dietary carbohydrates *G I Page, K M Hayworth, R R Wade, A M Harris and D P Bureau*

Short communications

299 Assessment of Pacific oyster, *Crassostrea gigas* (Thunberg), size and quality using a computer-based shape analysis technique *P L Heath and J H Wilson*
305 Changes in rainbow trout, *Oncorhynchus mykiss* (Walbaum), body composition with weight *R N Weatherup and K J McCracken*
309 Controlled anaesthesia of *Rana catesbeiana* (Shaw) and *Rana pipiens* (Schreber 1792) using xylocaine delivered by spray *N Garcia Aguilar, C A Martinez Palcios and L G Ross*

Volume 30, Number 5, May 1999

313 Use of duckweed, *Spirodela polyrrhiza* L. Schleiden, as a protein feedstuff in practical diets for tilapia, *Oreochromis niloticus* L. *E A Fasakin, A M Balogun and B E Fasuru*
319 Artificial fertilization in turbot, *Scophthalmus maximus* (L.): different methods and determination of the optimal sperm–egg ratio *O Chereguini, I García de la Banda, I Rasines and A Fernandez*
325 The effect of transportation on the juvenile scallop *Pecten maximus* (L.) *J A Maguire, D Cashmore and G M Burnell*
335 Effect of proteolytic enzyme addition to a practical feed on growth of the Pacific white shrimp, *Litopenaeus vannamei* (Boone) *S Divakaran and M Velasco*

341 Growth, metamorphosis and feeding behaviour of *Rana catesbeiana* Shaw 1802 tadpoles at different rearing densities *A Flores-Nava and P Vera-Muñoz*

349 The reproductive biology of the amberjack, *Seriola dumerilii* (Risso 1810). I. Oocyte development in captivity *V Micale, G Maricchiolo and L Genovese*

357 Environmental determination of dragonfly assemblage in aquaculture ponds *P De Marco, Jr, A O Latini and A P Reis*

365 Evaluation of AQUI-S™ (efficacy and minimum toxic concentration) as a fish anaesthetic/sedative for public aquaculture in the United States *G R Stehly and W H Gingerich*

373 Test of size-specific mass selection for Nile tilapia *Oreochromis niloticus* L., cage farming in the Philippines *Z U Basiao and R W Doyle*

379 Evaluation of the secondary stress response in healthy Nile tilapia (*Oreochromis niloticus* L.) after treatment with a mixture of formalin, malachite green and methylene blue *H Yavuzcan Yildiz and S Pulatsü*

385 Effects of dietary protein on growth and body composition of Nile tilapia, *Oreochromis niloticus* L. *Y S Al Hafedh*

Short communication

395 Settling rate characteristics and nutrient content of the faeces of Atlantic salmon, *Salmo salar* L., and the implications for modelling of solid waste dispersion *Y-S Chen, M C M Beveridge and T C Telfer*

Volume 30, Number 6, June 1999

399 On-farm trials of an integrated fish-cum-poultry farming system using indigenous chickens *D C Njoku and C O Ejiogu*

409 The potential of periphyton-based culture of the native major carp calbaush, *Labeo calbasu* (Hamilton) *M A Wahab, M E Azim, M H Ali, M C M Beveridge and S Khan*

421 Survival and growth of juvenile lobster *Homarus gammarus* L. raised for stock enhancement within *in situ* cages *H Knudsen and S Tveite*

427 Periphyton fouling as a marginal energy source in tropical tilapia cage farming J Norberg

431 Improved disease resistance in *Rana rugulosa* after β-glucan administration *M Crumlish and V Inglis*

437 Plasmatic levels of cortisol in the response to acute stress in Nile tilapia *Oreochromis niloticus* (L.), previously exposed to chronic stress *L J G Barcellos, S Nicolaiewsky, S M G de Souza and F Lulhier*

445 Removal of particle-associated bacteria by prefiltration and ultraviolet irradiation *H Liltved and S J Cripps* 451 Determining sediment properties around a marine cage farm using acoustic ground discrimination: RoxAnn™ *(the late) N Mac Dougall and K D Black*

459 High allozyme variation and genetic similarity of two populations of commercial penaeids, *Penaeus brevirostris* (Kingsley) and *P. vannamei* (Boone), from the Gulf of California *J de la Rosa-Vélez, R Escobar, F Correa and E Félix*

Short communications

465 Genotyping of individual fish oocytes based on polymerase chain reaction amplification of mitochondrial DNA *P Brzuzan and I Babiak*

467 Survival of amarillo snapper *Lutjanus argentiventris* (Peters 1869) at different salinities in captivity *V Serrano-Pinto and J Caraveo-Patiño*

Volume 30, Number 7, July 1999

471 Editorial

473 The lipostat, hyperphagia and catch-up growth *M Jobling and S J S Johansen*

479 Increased ability to compete for food by growth hormone-transgenic coho salmon *Oncorhynchus kisutch* (Walbaum) *R H Devlin, J I Johnsson, D E Smailus, C A Biagi, E Jönsson and B Th Björnsson*

483 Galanin and β-endorphin as feeding regulators in cyprinids: effect of temperature *A I Guijarro, M J Delgado, M L Pinillos, M A López-Patiño, M Alonso-Bedate and N de Pedro*

491 Growth, osmoregulation and sexual maturation of underyearling Atlantic salmon smolt *Salmo salar* L. exposed to different intensities of continuous light in sea cages *F Oppedal, G L Taranger, J-E Juell and T Hansen*

501 Influence of stocking density on growth of juvenile red porgy *Pagrus pagrus* L. under different feeding conditions *D Maragoudaki, M Paspatis and M Kentouri*

509 Pattern of feed intake in four species of fish under commercial farming conditions: implications for feeding management *C Talbot, S Corneillie and Ø Korsøen*

519 Discrete and multiple meal approaches applied in a radiographic study of feeding hierarchy formation in juvenile salmonids *H R Kristiansen*

529 Diel feeding rhythms of greenback flounder *Rhombosolea tapirina* (Günther 1862): the role of light–dark cycles and food deprivation *W-M Chen, J Purser and P Blyth*

539 Diurnal and seasonal variation in feeding patterns of Atlantic salmon, *Salmo salar* L., in sea cages *P J Blyth, S Kadri, S K Valdimarsson, D F Mitchell and G J Purser*

Short communication

545 Modelling fish food consumption with artificial neural networks *K Ruohonen*

Volume 30, Number 8, August 1999

549 Improvement of quality of sesame *Seasamum indicum* seed meal protein with supplemental amino acids in feeds for rohu *Labeo rohita* (Hamilton) fingerlings *N Mukhopadhyay and A K Ray*

559 Artificial spawning of carp *Cyprinus carpio* L.: differences between the effects on reproduction in females of Israeli strain Dor-70 and its cross-breed treated with carp pituitary and Ovopel *E Brzuska and R Grzywaczewski*

571 Aggressive interactions in pure and mixed groups of juvenile farmed and hatchery-reared wild Atlantic salmon *Salmo salar* L. in relation to tank substrate *O I Mork, B Bjerkeng and M Rye*

579 Genetic changes in *Oreochromis shiranus* (Trewavas) associated with the early stages of national aquaculture development in Malawi *A J D Ambali, R W Doyle and D I Cook*

589 Effects of different feeding regimes on growth, survival and feed conversion of hatchery-reared juveniles of the gastropod mollusc spotted babylon *Babylonia areolata* (Link 1807) in flowthrough culture systems *N Chaitanawisuti and A Kritsanapuntu*

595 Environmental and product quality in finfish aquaculture development: an example from inland Western Australia *R G Doupé, J Alder and A J Lymbery*

603 Evaluation of juvenile silver perch *Bidyanus bidyanus* (Mitchell) nutritional needs using high- and low-protein diets at two feeding levels *S Harpaz, D Sklan, I Karplus, A Barki and Y Noy*

611 Can smolting and maturation of hatchery-reared brown trout *Salmo trutta* L. be affected by food deprivation during the first and second years of rearing? *J Pirhonen and L Forsman*

Short communications

621 Triploidy induction in the Pacific white shrimp *Litopenaeus vannamei* (Boone) *S Dumas and R Campos Ramos*

625 Hybridization of Mediterranean groupers: *Epinephelus marginatus* × *E. Aeneus* and early development *B Glamuzina, V Kožul, P Tutman and B Skaramuca*

Volume 30, Number 9, September 1999

629 Effect of temperature and relative humidity on the tolerance of the Japanese clam, *Ruditapes philippinarum* (Adams & Reeve), to air exposure *F Ali and K Nakamura*

637 Astaxanthin deposition in fillets of Atlantic salmon *Salmo salar* L. fed two dietary levels of astaxanthin in combination with three levels of α-tocopheryl acetate *B Bjerkeng, K Hamre, B Hatlen and E Wathne*

647 The effects of ration level on feed intake and growth, and compensatory growth after restricted feeding, in turbot *Scophthalmus maximus* L. *B-S Sæther and M Jobling*

655 The effects of cypermethrin (Excis) and azamethiphos (Salmosan) on lobster *Homarus americanus* H. Milne Edwards larvae in a laboratory study *B C Pahl and H M Opitz*

667 Dominance hierarchy formation in Arctic charr *Salvelinus alpinus* (L.): nutrient digestibility of subordinate and dominant fish *R E Olsen and E Ringø*

673 A pump-pot nursery system for rearing juvenile New Zealand dredge oysters *Tiostrea lutaria* *R W Hickman, J Illingworth, J Forman and T H Kendrick*

681 Maternal and cage effects on genetic parameter estimation for Pacific white shrimp *Penaeus vannamei* Boone *C I Pérez-Rostro, J L Ramirez and A M Ibarra*

695 Infection of IHHN virus in two species of cultured penaeoid shrimp *Litopenaeus vannamei* (Boone) and *Litopenaeus stylirostris* (Stimpson) in Ecuador during El Niño 1997–98 *R Jimenez, R Barniol, L de Barniol and M Machuca*

707 Computer-controlled freezing of rainbow trout *Oncorhynchus mykiss* (Walbaum), spermatozoa for routine programmes *I Babiak, L Fraser, S Dobosz, K Goryczko, H Kuzminski and J Strzezek*

711 Cultivation of the spotted wolffish *Anarhichas minor* (Olafsen) – a new candidate for cold-water fish farming *I-B Falk-Petersen, T K Hansen, R Fieler and L M Sunde*

Short communications

719 Effect of processing soybean meal on the apparent digestibility of practical diets for the greenback flounder *Rhombosolea tapirina* (Günther) *M P Bransden and C G Carter*

725 Intranuclear inclusion bodies in the hepatopancreas in cultured penaeoid shrimp *Litopenaeus vannamei* (Boone) in Ecuador *R Jimenez, R Barniol, L de Barniol and M Machuca*

729 Book review

Volume 30, Number 10, October 1999

731 The effect of 11 β-hydroxyandrostenedione on pikeperch *Stizostedion lucioperca* (L.) *K Demska-Zakes and Z Zakes*

737 Red drum, *Sciaenops ocellatus* L., stock enhancement in Biscayne Bay, FL, USA: assessment of releasing unmarked early juveniles *J E Serafy, J S Ault, T R Capo and D R Schultz*

751 Eggs of gilthead seabream *Sparus aurata* L. as a potential enrichment product of *Brachionus* sp. in the larval rearing of gilthead seabream *Sparus aurata* L. *P Pousão-Ferreira, S Morais, E Dores and L Narciso*

759 Reproductive performance of cultured Atlantic salmon *Salmo salar* L. 1758 in Chile *F Estay, C Vergara and N F Diaz*

765 Some properties of bream *Abramis brama* L. sperm and its cryopreservation *J Glogowski, I Babiak, D Kucharczyk, M Luczynski and B Piros*

773 Experiences of integrated mariculture in a southern Tyrrhenian area (Mediterranean Sea) *A Mazzola, E Favaloro and G Sarà*

781 Digestive enzymes present in Pacific threadfin *Polydactylus sexfilis* (Bloch and Schneider 1801) and bluefin trevally *Caranx melampygus* (Cuvier 1833) *S Divakaran, B G Kim and A C Ostrowski*

Short communications

789 Feed ration for different sizes of wild and hatchery-bred milkfish (*Chanos chanos* Forsskal) *N S Sumagaysay*

793 Interacting effects of water temperature and dietary protein levels on post-prandial ammonia excretion by the areolated grouper *Epinephelus areolatus* (Forskål) *K M Y Leung, J C W Chu and R S S Wu*

799 Quality characteristics of South African abalone *Haliotis midae* L. meat *J Sales, P J Britz and T Shipton*

Volume 30, Number 11/12, November/December 1999

803 Editorial

397 805 An analysis of production factors in carp farming in Andhra Pradesh, India *S S Veerina, M C Nandeesha, S S De Silva and M Ahmed*

815 Changes in fatty acid profile during larval development of freshwater prawn *Macrobrachium rosenbergii* (de Man) *P Roustaian, M S Kamarudin, H Omar, C R Saad and M H Ahmad*

825 Optimal lipid:carbohydrate and protein:energy ratios in semi-purified diets for juvenile black tiger shrimp *Penaeus monodon* Fabricius *B Chuntapa, S Piyatiratitivorakul, C Nitithamyong, V Viyakarn and P Menasveta*

831 Shallow raceways as a compact, resource-maximizing farming procedure for marine fish species *V. Øiestad*

841 Leaching, palatability and digestibility of oxytetracycline and oxolinic acid included in diets fed to seabass *Dicentrarchus labrax* L. *G Rigos, M Alexis and I Nengas*

849 Artificial spawning of herbivorous fish: use of an LHRH-a to induce ovulation in grass carp *Ctenopharyngodon idella* (Valenciennes) and silver carp *Hypophthalmichthys molitrix* (Valenciennes) *E Brzuska*

857 Tolerance response to ammonia and nitrite exposure in larvae of two marine fish species (gilthead seabream *Sparus aurata* L. and Senegal sole *Solea senegalensis* Kaup) *G Parra and M Yúfera*

865 Growth and mortality of the New Zealand abalone *Haliotis iris* Martyn 1784 cultured in offshore structures and fed artificial diets *M A Preece and P V Mladenov*

879 The effect of binder composition on ingestion and assimilation of microbound diets (MBD) by barramundi *Lates calcarifer* Bloch larvae *G J Partridge and P C Southgate*

887 The effects of stocking density and social interaction on acute stress response in Nile tilapia *Oreochromis niloticus* (L.) fingerlings *L J G Barcellos, S Nicolaiewsky, S M G de Souza and F Lulhier*

893 Establishment of mixed-culture probiotics and microalgae as food for bivalve larve *R E Avendaño and C E Riquelme*

901 Diel rhythms of feeding activity in African catfish, *Clarias gariepinus* (Burchell 1822) *M A R Hossain, R S Batty, G S Haylor and M C M Beveridge*

907 Altered body shape as a morphometric indicator of triploidy in Indian catfish *Heteropneustes fossilis* (Bloch) *B K Tiwary, R Kirubagaran and A K Ray*

911 Top-crossing with paternal inheritance testing of 4-month-old common carp *Cyprinus carpio* L. progeny in three altitude conditions P Duda, D Gela and O Linhart

Short communication

917 A condition index for evaluating larval quality of *Macrobrachium rosenbergii* (de Man 1879) *M Tayamen and J H Brown*

923 Nitrogen recovery from shrimp pond effluent: dissolved nitrogen removal has greater overall potential than particulate nitrogen removal, but requires higher rates of water exchange than presently used *K. Lorenzen*

929 Author Index

935 Subject Index